

RESTORERS CATALOGUE



www.ppcco.com.au

CLEANERS & ETCHERS



PPC MARINE CLEAN (Water Based)

Cleans and Degrease in one application.

No residues, noxious fumes or flammable solvents. leaves no residue. No petroleum products used. A mixture of organic and inorganic materials

USAGE: For cleaning and degreasing: Use to degrease metal, Cars, Boats, Trailers, Steel Beams, Machine parts, Turbine blades, Diesel Engines, Compressors, Transformers, Bulkheads, Deck plates, Bilge areas. Use anywhere you want to get rid of grease. House washing, diluted in the home

Removal of Oily deposits found in closed systems such as: Air conditioning, Boiler tubes, Compressor lines, Heat exchanges and coils, light distillates, Mineral Oils, Heavy grease.

Painted Surfaces : We sell to house cleaning companies before they repaint

250ml 1 litre 4 litre 20 litres



PPC METAL READY

Rust Remover and Pre-primer - Etches Metal and leaves a Zinc Phosphate coating

A water based non-toxic, non-flammable, non-caustic and non-corrosive

USAGES:

Removes RUST by dissolving it.....Metal is left ready to paint.

Etches metal to provide a better surface profile for painting

Coats the metal with **Zinc Phosphate** to inhibit further rusting

Promotes better **paint adhesion** Improves welding conductivity

Removes rust stains from non-metallic surfaces - porcelain, ceramic, fibreglass. Metal Ready is not a long term rust killer, it is preparing the surface for paint

250ml 500ml 1 litre 4 litre 20 litres



PRE-PAINT PREP -

EW-10041Z

Do Not use with Bill Hirsch Paints

The final step in surface Prep

Wipe on, wipe off.

Removes Silicone, Wax, polish, grease buffing compound, and even road tar.

Ensures clean surface that is ready for final painting or **powder-coating and promotes paint/powder adhesion.**



AEROSOL INJECTED CLEANER -

EW-12846Z

Cleans Paint Guns and Equipment. Brake, transmission and fuel lines. Removes Paint, grease, machining oils and other contaminants.

Unique can nozzle tapered to create a tight seal, with no blowback.

360 degree valve even sprays upside down!

313ml



SOLVENTS AND PAINT STRIPPERS



PPC SOLVENT

PPC Solvent can be used when thinning or spraying. PPC Solvent is of high purity with minimal moisture content. It can also be used for thinning most 2 pack products, lacquers and epoxy paints.



250ml, 500ml, 1 litre, 4 litre



PPC PAINT STRIPPER - LIQUID AND GEL

Will remove enamels, epoxies, lacquers, polyurethanes.

Fast and powerful, won't damage or etch glass or aluminium.

Water soluble, clean and simple to clean up. Apply with a brush, leave for 10 - 30 minutes. Cover with food wrapping to assist coat removal.

Available in liquid form for tanks etc.



PRIMERS - CONTINUED



SELF-ETCHING WELD THRU

EW-12899 Z

Has organic binders that replace conductive heavy metals such as copper and zinc. Burns off during welding, leaving a corrosion-resistant self-etching primer for paint prep. Reduces spatter and distortion caused by excessive heat that occurs during the welding process.

Compatible with MIG, TIG and Arc welding.

Enhances adhesion and durability and is compatible with most top coats.

454 grams



SELF-ETCH PRIMER GRAY

EW-16014Z

Clean rust-free metal to improve adhesion and durability of most non-epoxy top coats. Use to **prep aluminium, steel, stainless, scuffed galvanized...makes a great base for high-build primers or spot repairs.**

Coverage: 1 can - 1 square metre

Withstand Temperatures: 76°C

Not for use with Eastwood Chassis Black



EXTREME CHASSIS BLACK PRIMER

EW-11193Z

Start with Extreme Chassis Black Primer.

Maximise adhesion and improves chip resistances.

Use before the other Eastwood Extreme Paints

Coverage 3/4 of a square metre

397gram



U-POL ACID 8 - Grey

Is a 1K ready to use etch primer. Used for priming bare metal surfaces, or for adhesion of paint and also prevents steel from rusting. Chromate free. Typical applications are; or over other small rub through areas prior to painting, on new bare metal panels or over bare seams before sealant is applied.

347 gram / 1 litre



U-POL WELD #2 - ZINC

Weld through Zinc Rich Primer for high adhesion, super conductive primer offering excellent rust protection when applied to panels prior to Resistance SPOT, MIG AND TIG WELDING.

Can be overpainted with Epoxy Primers

Fast drying, - speeds up the welding process

High concentration of zinc in the dry film
Corrosion resistant

346 grams



U-POL WELD #2 - COPPER

Weld through Copper Rich Primer for high adhesion, super conductive primer offering excellent rust protection when applied to panels prior to Resistance SPOT, MIG AND TIG WELDING.

Can be painted over with Epoxy Primers.

Fast drying, - speeds up the welding process
High concentration of zinc in the dry film
Corrosion resistant



2K AERO SPRAY - GREY PRIMER

Epoxy Primer EW-14149Z

2K AERO SPRAY - BLACK PRIMER

Epoxy Primer EW-14790Z

Can be applied over: steel, aluminium, fiberglass, body fillers, existing finishes

Do not apply over: self-etching primer, Lacquer

Pot Life: Approximately 48 hours after button on bottom is pushed and can is activated.

Ideal application conditions:

Temperature between 20-30 degrees C at 50% humidity or less You'll achieve professional results from an easy to use aerosol.

Coverage:

2.3 sq. metres - 3.2 sq. metres



GRAY EPOXY PRIMER AND CATALYST

EW-51126
ZP 946ml

BLACK EPOXY PRIMER AND CATALYST

EW-51121 ZP
946ml

Can be used as a primer and sealer. Excellent adhesion and corrosion resistance. Fast drying & maintains good colour. Sand-able 2 - 3 days.

Apply over Steel, Aluminium, Fibreglass, Body fillers and existing fillers.

Spray coats to 1mil dry film thickness. Can be coated after 30 minutes approximately (wait 46 - 60 minutes after applying more than two coats) up to about five days. After 5 days primer MUST be scuffed prior to topcoat. May be sanded (wet) the day after applications.



946ml and Aerosol



RUST PREVENTIVE PAINTS



BILL HIRSCH'S Miracle Paint

Miracle paint stops rust dead in its tracks.

When applied properly it is a permanent cure to rust. .

Miracle Paints can be applied to **New Metal, Wood, Concrete or un-glazed tiles.**

If coating over steel, aluminium or smooth metal, clean with PPC Marine Clean and etch with PPC Metal Ready.

Clear Miracle Paint is the best sealer that you can put on concrete to stop

dusting or to seal grout or quarry tile. Miracle paint is a moisture cured urethane.

It is very flexible, resists cracking and scratching from stones and sharp objects.

When dry it is not affected by petrol, oil, anti-freeze, lacquer thinner, road salt

or battery acid.

COVERAGE: 10 square metres per litre



Colours available: *Black, Silver, White and Clear*

Available in: *Pints - 476ml / Quarts - .946ml / Gallons - 3.78 litres*

CUSTOMER COMMENTS:

I have found the Bill Hirsch Miracle Paint great to work with and there is no need to deglaze the surface by



BILL HIRSCH Heavy Duty Miracle Paint - applies a thicker coat

A moisture cured non porous paint that bonds to rusted and corroded metals like no other coating.

This is the heavy duty version of our famous paint. Use this heavy duty version for rust areas that require a thicker coat or where extremely heavy rust is present.

It dries rock hard and will not chip, crack or peel. Impervious to petrol, lacquer thinner, salt and most acids.

Can be painted directly over rusted surfaces. Is strengthened by moisture.

Will seal concrete, grout, wood, metal and porous tile like nothing else. Can be sprayed, rolled or brushed.

Available: *Pints - 476ml and Quarts - .946ml Gallon - 3.78 litres*

COVERAGE: *8 square metres per litre*



Colours available: *Black, and Silver*



RUST PREVENTIVE PAINTS - continued



RUST ENCAPSULATOR PLATINUM

Can be used as a top coat or can be top coated with almost any paint. It can be applied over bare metal or surface rusted areas. Brush or spray applied with conventional spray equipment. Rust Encapsulator Platinum is ideal for any type of rusted metal surface and can withstand temperatures up to 350 degrees Fahrenheit.

WHAT MAKES PLATINUM SUPERIOR TO COMPETITORS PRODUCTS?



3.8 litres - EW-16257/ .946ML - EW-16258./ 475ml - EW-16259

Passed over 1,500 hours of salt spray testing.
Tenacious bond permanently fuses to both bare, clean steel and corrosion.
Can be applied directly over surface rust.
Heat resistant to 176°C
Simple prep – wire brush, degrease and apply with brush, roll or spray (spray for best results)



RUST ENCAPSULATOR Flat Black

EW 16065 ZP

Superior sunlight resistance, prevents rust creep and overall durability.

A great primer for floor plans and other under body parts. Fills pin holes and fills surface irregularities and is compatible with lacquer, enamel and urethane top coats.

Heat resistant up to 205 degrees C

For best results use PPC Metal Ready first.



RUST ENCAPSULATOR

COLOURS—MATTE BLACK EW 16060Z SATIN RED EW-16040Z WHITE EW-14824Z SILVER EW-16080Z

Superior sunlight resistance, preventing rust creep and promoting overall durability. A great primer for **floor pans and other under body parts**. Fills tiny pin-holes and surface irregularities and is compatible with lacquer, enamel and urethane topcoats.

Heat resistant up to 205°C.

For the best rust results use PPC Metal Ready first.



RUBBERIZED RUST ENCAPSULATOR

EW-13651Z

Protect from further rust, Sale and Stone Chips

Flexible finish protects surfaces from abrasions and deadens sounds. Epoxy -Fortified for better adhesion and durability. Apply directly over rust.

Remains flexible and durable.

It exceeded 1000 hours of salt spray chamber testing.

Surpasses the standards for a 2-component catalysed coating
Satin Black Finish

Withstands up to 121°C



TEXTURED RUST ENCAPSULATOR

BLACK EW-14741Z

Great for floor pans, frame rails and rocker panels. The new textured finish you can hide spotty surface rust by making the whole area a textured finish!

UV resistant compatible with most topcoats and epoxy fortified for superior adhesion. Simply paint over the top of rust and stop the spreading and forming of new rust. Temperature: 204°C resistant.

Coverage: 1 square metre.



INTERNAL FRAME COATINGS



INTERNAL FRAME COATING GREEN AND BLACK W/SPRAY NOZZLE

EW-12515Z - Green. EW 15275Z - Black

Protect the inside of your Frame, Rocker Panels and Pillars

Tough phenolic resin penetrates, converts and encapsulates the rust on the internal surface.

Zinc Phosphate seals it to prevent future corrosion 60cm long tube with conical nozzle reaches in to spray coating in a radial pattern for complete coverage.

Coverage: 1 sq. metre per can.

Fully cures in 14 hours



SW2 Protective Coating (We asked a Distributor he said "We sell buckets loads, to anyone with rusty steel, inside outside, Silo's , cars, anything, it really works, let it dry and paint over it")

An Oil based, clear in colour thin penetrating liquid

which dries to a non-tack finish. Anti-corrosive Water Resistant

Easy application

Multi-purpose

Can be over coated with High Build Rust Barrier Lead and chromate Free. Not recommended for immersion service

Uses: Interior of vehicle doors and body panels

Silos and farm buildings Underside of surfaces on appliances, such as freezers and washing machines. Marine topsides as a base coat. SW2 use as a protective film on stored machinery parts, castings etc. By the seaside, a thin coat and paint on top your beams and pillars. Coat Galvanised Boat Trailers to extend their life



500ml, 1 litre, 4 litre Aerosol



DEOX DYNAX S50 Cavity wax with hard to reach applicator

Dynax waxes are formulated with high performance anti-corrosive properties for protection against corrosion.

Dynax S50 is designed for internal use, with a long 62cm (2ft) thin spout.

Dynax S-50 comes in a large 750ml aerosol can.

- A great Cavity Wax with a long thin 360 degree application
- Ideal for all those difficult to get to places
- Spray areas you can't paint.
- Great for use in box sections.
- Leaves a self healing wax like surface.
- Kills existing corrosion.
- Creeps into seams and welded flanges.
- Virtually odourless.



SAMPLE 3 - Is Dynax S-50 tested against other products



DEOX DYNAX UC Clear Cavity Wax

High-performance anti-corrosion wax provides a low film thickness see-through protective shield.

Apply to bare metal or painted surfaces in fact anywhere where a discrete and powerful inhibitor is needed.

Safe to use on the vast majority of paint coatings.

The touch dry tough wax film provides mechanical protection to the protected surface too.



750ml aerosol
5 litre



DEOX DYNAX UB

"Underbody Sealer" Anti corrosive heavy

duty wax A heavy duty wax for use on underbodies to protect against corrosion from exposure to **beaches and salt air**.

Good for vehicle and underbody and harsh environments. Leaves a hard wax surface. Better than bitumen type covers, as it won't crack and peel. Good for internal **salt exposure** on two coats over 24 hours. A must if you use your vehicle on the beach.

Dark brown in colour.



750ml Aerosol
5 litres



BILT HAMBER - RUST REMOVAL



DEOX C - Concentrated rust removal powder

Concentrated 1 part powder in 19 parts water, a Deox-C bath will clean the most awkward, heavily rusted items brilliantly with no effort, distortion or health risk at all.

Deox-C leaves pure bare metal with no traces of corrosion.

Simple to use, economical and saves hours of less effective wire brushing or blast cleaning.

Parts are ready for painting or coating.

Deox-C bath can be reused until it turns black.

4 kilo = 80 litre bath mix

1 kilo = 20 litre bath mix



4 kilo



1 Kilo



Rusty Component



Rust Removed



DEOX GEL Gellrust remover

If items are too big for a Deox-C bath then use Deox-Gel - the same high-power yet safe active constituents, but in a gelled form for brush application. Removes corrosion leaving a bare-metal surface ready for paint or coatings.

Coverage:

Approximately 2 square metres per 1 kilo



1 kilo



5 litres



After 12 hours scrap off



PPC METAL READY

Rust Remover and Pre-primer - Etches Metal and leaves a Zinc Phosphate coating

A water based non-toxic, non-flammable, non-caustic and non-corrosive

USAGES:

Removes RUST by dissolving it.....Metal is left ready to paint.

Etches metal to provide a better surface profile for painting

Coats the metal with **Zinc Phosphate** to inhibit further rusting

Promotes better **paint adhesion** Improves welding conductivity

Removes rust stains from non-metallic surfaces - porcelain, ceramic, fibre-glass. Metal Ready is not a long term rust killer, it is preparing the surface for paint



250ml 500ml 1 litre 4 litre 20 litres



TOP COATS



BILL HIRSCH Super Black Chassis - Semi Gloss Black

UV RESISTANT - Tough, durable paint for your Car Chassis, Undercarriage, Under hood, frame and accessories. Anywhere, you want a semi-gloss Farm Machinery, Trailers etc.

Space Age, high tech, semi-gloss coating that withstands an incredible 550 hour salt spray test with no signs of breaking down.

Unlike most moisture cured urethanes which do not adhere well to smooth or primed surfaces or which do not spray well.

This product when properly applied will give you the finest finish you could hope for.

This product requires a non self etch primer or Hirsch Miracle Paint prior to application.

Available in 475ml, 946ml, 3.78 litres



ORIGINAL CHASSIS BLACK GLOSS

EW-10354ZP

UV Stable Resists corrosion, chips, scratches.

Resists brake fluid, fuel, solvents.

Apply multiple coats without lifting.

85% gloss finish. Apply over bare metal.

Not for use over self-etch primers

Withstands temperatures of 150 degrees

Coverage: 1 quart / .946litres - 4 square metres



ORIGINAL CHASSIS BLACK SATIN

EW-10043zp

UV-Stable Perfect for any undercarriage component. Resists corrosion, chips and scratches.

Temperatures up to 149°C Resists brake fluid, fuel and solvents.

Undercoating matches OEM finish.

Apply multiple coats without lifting.

Do not apply over self-etch primers

Not glossy, not dull 25 - 35% gloss

.946ml



EXTREME CHASSIS

BLACK SATIN

EW- 11176ZP

BLACK GLOSS

EW-11173ZP

3 x the resins of traditional coatings . Tough enough for undercarriage components

Resist against corrosion, chips and scratches. Apply multiple coatings without lifting.

25% -35% gloss

Cannot be applied over **self-etching primers**.

Allow 15 - 20 minutes between coats

COVERAGE: .946 litre per can covers 4 square metre



EXTREME CHASSIS BLACK PRIMER

EW-11193

EXTREME CHASSIS BLACK GLOSS

EW-11172Z

EXTREME CHASSIS BLACK SATIN

EW-11175z

Gloss or Satin Black paint for extreme durability.

Start with Extreme Chassis **Black Primer**. Maximises adhesion and improves chip resistances.

Extreme Chassis Black Gloss has 3 times the resin of traditional under coatings. It is tough enough for any under car component.

Top coat your frame and suspension parts with a tough, OEM matching,

It will help seal rust and improves resistance against chips and scratches and resists brake fluid, fuel and solvents.

Choose satin (60-70% gloss) or high-gloss (85% gloss) finish. Apply multiple coats without lifting.

Coverage: 3/4 of a sq. metre

340grm aero



TUFF SH**T BLACK

IN GLOSS AND SEM-GLOSS

It's tougher than other aerosols. It comes out a little thinner but wait till it hardens.

Apply a few thin coat for best results. Durable hard, flexible non-porous, and very scratch and abrasion resistant.

Spray Tuff Sh**t on frames, car parts and hundreds of other home and industrial uses.



CLEAR COATS

PPC TUFF SUPER CLEAR GLOSS - 2 PACK

Clear coat your Chrome, stainless steel, copper or brass. Coat polished alloy wheels, aluminium boats etc. PPC Tuff Super Clear urethane is a two part, DIRECT-TO-METAL high solid, high gloss coating designed to go on polished nonferrous metals.

PPC Tuff Super Clear will work well as an interior and exterior protective coating to protect

PPC Tuff Super Clear is good as a clear coat over most existing paints and can be used on wood.

Sizes : 1 litre / 4 litre. Hardener included in price)



Eastwood DIAMOND CLEAR GLOSS for BARE METAL & PAINTED SURFACES EW-16105Z

A crystal clear barrier that keeps metal looking bright. Spray brass, aluminium, steel, die-cast, even cast iron parts.

Self-levelling, solvent based, acrylic resists chips, cracks, fading and yellowing and **resists fuels and temperatures up to 150°C**.

For under hood applications, (except exhaust manifolds).

It does a beautiful job on polished wheels, aluminium valve covers, as well as items round the shop and home. It may slightly dull reflectivity. 312 gram aerosol



Eastwood DIAMOND CLEAR SATIN for BARE METAL AND PAINTED SURFACES EW-16106Z

Add a semi-gloss/satin finish as it protects your vehicle's newly painted components

Use as a **top coat for most cured lacquer and enamel paints**.

Special low-sheen formulation won't offset the "soft" OEM-like finishes of detail paints. Semi-gloss satin finish

Resists chips, cracks, fading.

Withstands up to 150 degrees C



Eastwood 2K AERO SPRAY - AEROSOL HIGH GLOSS CLEAR - EW-14148Z MATT CLEAR - EW-14792Z

- 2-Component Catalysed Technology
- Two Chamber Design Aerosol
- Most Durable Paint in an Aerosol Available
- Sprays Like a Paint Gun
- Approximate Coverage 0.5 - 0.75 square metres

Max Temperature: Paint will handle up to 120 - 150 ° degrees C without delamination, but colour shift may occur, so it should not be used in a high heat setting

Once activated can life is 48 hours



Eastwood DIAMOND CLEAR GLOSS FOR BARE METAL EW-10357Z

A CRYSTAL CLEAR, tough flexible coating, Keeps brass, aluminium, steel, die-cast, even cast iron looking great. Self-levelling, resists chips, cracks, fading and yellowing. May slightly dull reflectively. Resists fuels and temps up to 150 C.

USAGE: Under hood applications except manifolds. Polished wheels, . Aluminium valve covers,. Any shop and home items.

Spray or brush - 946ml



Eastwood SHARKHIDE ALUMINUM PROTECTANT EW-11983Z

Is the ideal long-term protectant for **steel, aluminium, copper, brass, stainless and fibreglass**, against the elements.

Protect your vehicle investment against stains, oxidation (rust) weathering, grime, salt spray and pitting with this clear, tough, flexible coating.

- Will not chip, flake peel or yellow
- UV-stabilized and ozone-resistant
- Easy wipe-application
- .946 litres

GOOD FOR WHEELS TINNIES ALUMINIUM



Eastwood PATINA PRESERVER EW-14995Z

A safe barrier between your metals and the natural elements. This spray **100% invisible to the naked eye**. Protect from corroding, fading and tarnish. Use with **aluminium, copper, brass, steel** and more. Highly durable, UV and weather resistant.

Usage: Entire vehicles, wheels, bumpers, interiors including aged and vintaged surfaces.

Coverage:
Approx. 1 1/2
square metres.

397g Aero



ENGINE ENAMELS



BILL HIRSCH'S Engine Enamel's

Have been on the market for 40 years and cars that were painted 40 years still have Bill Hirsch Engine Enamels on their engines. Rated to **370 degree C** or 700 degrees F and it still retains it's gloss. Resistant to petrol and oil when fully cured.

Colours available:

Aluminium

Black,

Chevrolet Red - V8's 1956 only.

Chrysler Blue - 1973-1983

All 318 Ct Engines 1969 -1972.

Ford Green - A's, B's, V8's, to 41-42,

Olds Gold - late 1964 - 1976 350 Ct Engine

Chevrolet Orange - 1995/1957-75/Not 56

Old Green -Late 1949-56

Pontiac Green - 1930 - 39

Austin Healey Green(the real one), (with a silver fleck),

Cadillac Dark Blue - 1949 - 1976

Chrysler Turquoise - All 383 - 400 Big Block 1969 - 1972.

Ford Mustang Blue, - 1067 on with 302 engines.

Pontiac Turquoise - 1975 Bonneville, all 1958

Ford T-Bird Red

MG Maroon

Chrysler Hemi Orange - (70-71 340) (66-71 426) (69-71 386, 440)

Packard /BMC Green



SIZE: 1 QUART - .946ml

60 different colours available.

GLYPTAL 1201 Internal Engine Coatings

Glyptal 1201 is a specialised, air dried enamel coating, used in the USA for over 30 years.

For the engine restorer its used as an internal engine coating, (amongst, other electrical industry applications for insulation). We have frequently been asked for this product, particularly for older restorations with motors that are slightly porous.

It is resistance to oil is excellent and water, acid, salt water, is good.

Air dried or it can be baked to a smooth finish.

Designed to withstand continuous temp of 135°C.

Thin with PPC Solvent

500ml / 1 litre



2K HIGH TEMPERATURES CERAMIC ENGINE PAINT - withstands up to 340°C

Ceramic Engine Paint withstands up to **340°C**. Super-durable engine paint utilizes ceramic Nano-technology that protects your engine and resists chips, chemical and heat.

Easy to apply - brush or spray.

Coverage: 3.7 sq./m.

Includes Urethane Activator 21854Z



Gloss Black - EW-51632ZP

Universal Red EW-51634ZP

Pontiac Metallic Blue EW-51630ZP

Chevy Orange - EW - 61618ZP

Chevy Grey - EW-51625ZP



Matte Black EW-13784ZP

AMC Metallic Blue - EW-51615ZP

Pontiac Light Blue EW-51629ZP

Chrysler Hemi-Orange EW51620ZP

Old Ford Blue - EW-51682



Available in .946ml



2K AEROSOLS HIGH TEMPERATURES ENGINE ENAMELS

Temperatures up to 340°C

Gloss Black

EW-14925Z

Ford Blue

EW-14928Z

Gloss Red

EW-14926Z

Chevy Orange

EW-14927Z

Primer Grey

EW-14932Z



2K AEROSOLS



2K AEROSOLS

An Automotive grade paint. Chip Resistant, Chemical Resistant, UV Stable - Great for coatings such as motorcycle frames to fenders and other parts that you want a tough two pack paint.

Its Nano ceramic technology to provide a long lasting and durable finish, while keeping its beautiful finish for years. The innovative nozzle and valve technology, combined with its two internal chambers, ensure the right ratio is mixed every time. Sprays like a gun with a broader spray pattern than conventional aerosols and no mess to clean up. You'll achieve professional results from an easy to use aerosol. Use anywhere on your car, for a tough resilient finish



Colours

Primer Grey	EW-14149Z.
High Gloss Clear	EW-14148Z
Black Gloss	EW-14145Z
Black Satin Finish	EW-14146Z.
Rat Rod Satin Black	EW-14791Z
Matt Clear	EW-14792Z



COLOUR SPECIFIC PAINTS



ALMOST CHROME AEROSOL PAINT

EW 25292Z

A chrome look paint to spray on small parts to give a finish like Chrome platingreflective enough to faintly see yourself in it. About 30% as reflective as a mirror. Withstands temperatures up to 149°C.

Contains zinc for corrosion resistance. Metallic enamel

Coverage: Approx. ½ sq./m.
340 grams



ALUMA BLAST—

ALUMINIUM REPLICATION EW-10109Z

Spray a protective, durable, natural satin finish on smooth-cast aluminium car parts.

Aluma Blast Paint duplicates the original look of cast aluminium and protects up to 148°C.

A durable coating, which will keep all those aluminium parts looking brand new for a long time.

Coverage: Approx. ½ sq./m
340 grams



BRAKE GRAY-

EW-11756Z

DOT 3,4 and 5 brake fluid resistant. Paint master cylinders, disc brake callipers, brake drums, spindles, mounting brackets and hardware.

Contains stainless steel pigment in an ultra-durable epoxy ester resin.

Can also be applied to **metal, ceramics, wood and leather.**

Withstands temperatures up to 204°C

Brake Gray exactly matches Spray Grey.

368 gram Aero



CARB RENEW II—BRONZE EW-12867Z

CARB RENEW II—SILVER EW-12868Z

Fuel and additive resistant and durable. Restore that original bronze and silver look found on most carburettors with a translucent acrylic enamel.

Whilst your carburettor is apart and all the jets are removed, simply spray Carb Renew II on the exterior of the thoroughly cleaned bowl cover and main body.

It will produce a natural 3 – 8% gloss.

Withstands up to 148°C.

Coverage: 0.2 metres / 2 square feet



COLOUR SPECIFIC PAINTS - continued



CHARCOAL GRAY WHEEL PAINT- EW-10003Z

Has the correct tone, sheen, and original equipment look. Rally Wheel Charcoal Paint is appropriate for styled steel wheels and backgrounds for chrome rims and centre cape, especially for the Muscle cars era.

This high solids paint Covers over 1.2 square metres or two to four wheels depending on application. 50%-60% gloss

Max temperatures: 121 degrees C
340gram



DETAIL GRAY - BARE STEEL REPLICATION EW-10036Z

Specially formulated to duplicate the original look of **die cast and stamped steel**.
Protects up to 149 °C .

Metal parts will keep that brand new look for a long time. Great on alternators and distributor housings

Coverage: ½ a sq./m

Acrylic lacquer,
natural low 4-15% gloss.



RALLY WHEEL - ARGENT SILVER - EW- 10001Z

Silver Argent Paint matches the silvery tone, sheen and appearance of many OEM wheels. Durable and Long-Lasting
50-60% gloss

Temperatures Up To 121°C

12-oz. covers 2 to 3 wheels (6 sq. ft. - 1/2 square metres.



PATINA PRESERVER EW-14995Z

A safe barrier between your metals and the natural elements. This spray **100% invisible to the naked eye**. Protect from corroding, fading and tarnish. Use with **aluminium, copper, brass, steel** and more. Highly durable, UV and weather resistant.

Usage: Entire vehicles, wheels, bumpers, interiors including aged and vintage surfaces.

Coverage: **Approx. 1 1/2** square metres.



RADIATOR BLACK PAINT - GLOSS - EW-10040Z, SATIN -EW- 10340Z

Standard engine paints are too thick for radiator use because they can interfere with heat transfer and block air flow between the cooling fins. Also, standard paint tends to flake off radiator tanks. Radiator Black is a durable enamel resists temperatures of 120°C, petrol and chipping.

Coverage:
1/2 a sq./m

340 grams



SILVER CADMIUM—AEROSOL

EW-10022Z

Replicates the special bluish-silver tint of the original Cadmium plating used on many engine and transmission parts.

Under hood and under-car components like coil clamps, alternator pulleys, carburettor and transmission linkage rods and more.

Acrylic lacquer

Temperature: With-stands up to 120°C.

Coverage: approx. ½ sq./m



SPRAY GRAY—CAST STEEL REPLICATION - EW-10032Z

Cast Iron Paint reproduces the original look of cast-iron parts.

Perfect for cast-iron water pumps, intake manifolds, master cylinders and more It is an acrylic lacquer, with a natural low 4 - 15% gloss.

Spray Gray Paint is good to use on alternator and distributor housing.

It will protect up to 150°C.

Coverage: 1/2 a sq./m



TANK TONE METALLIC COATING EW10030Z

It helps to prevent rust. It contains **Zinc** to protect your **Fuel Tank**

Get an EOM look plus corrosion protection. Formulated with zinc to protect tank rust.

No primer needed.

Coverage: 0.7 square metres



COLOUR SPECIFIC PAINTS - continued

TRUNK PAINT - Multi-colour spatter finish.

AQUA - BLACK EW 10008Z

BLACK GRAY EW-10009Z

WHITE-GRAY- EW- 10007Z

PRIME the bare metal with **Gray Self Etching Primer** EW-16104Z or rusty metal with **Black Rust Encapsulator** EW-16060Z before applying Trunk Paint.

Must be sealed with **Diamond Clear**

Coverage:
1/2square metre
340 grams



UNDERHOOD BLACK LOW GLOSS FINISH AEROSOL EW-10024

UNDERHOOD BLACK® Low Gloss is just the right 10-20 per cent semi-gloss finish for most radiator supports, inner fender walls, underhood brackets, and other under hood parts.

The Matte formula duplicates the near-zero gloss finish you find in many older cars for those parts. Both formulas resist chipping, scratches and light impacts.

312 grams. aerosol can covers 1/2 square metre



STAINLESS STEEL DETAIL PAINT

- EW-16312Z

Cured Thickness 2mm Matte Coating with a 4-15% gloss level. 250 hours of UV and 250 corrosion protection. Good resistance to Brake Fluid, Petrol and Acetone. Excellent resistance to antifreeze and motor oil. Heat resistant up to 149 degrees C.



UNDERHOOD BLACK MATTE AEROSOL EW-12032Z

It is the correct shade of black, having just the right matt finish for many older cars used on radiator supports, inner fenders, firewalls, under hood brackets and other parts. Just clean, degrease and prepare the parts well and spray on. Withstands temperatures of 121°C.

Goes on thin for a smooth finish that will not hide surface details
312 grams



ZINC PHOSPHATE -EW-10281Z

Replicates charcoal grey OEM plating.

A durable spray-on enamel.

Withstands up to 149 degrees C

4% to 8% gloss



CLEAR ZINC AEROSOL - EW 10280Z

Duplicates the exact colour of factory zinc dichromate (blue/grey) plating.....simply spray it on.

High solids enamel resists fading, chipping, fuel and UV rays
11% to 15% gloss

Coverage: 1.5 square metre

340 gram



GOLDEN CADMIUM KIT EW-16160Z

Replicates the look of Golden CAD plating
A 3-step process that you can do in your own driveway. Lay down the **golden base**, coat with **red** and **green** to lightly tint the part. For brake boosters, calliper brackets, striker plates and more.

Kit includes one:

1 x 132gram can of Golden tin

1 x 142 gram can of red tint

1 x 142 gram can of green tint.

Coverage: 1/2 a square metre.

For best results use



Diamond Clear over the top-EW-



MASTER STEERING WHEEL REPAIR KIT EW-52196Z

Restore your steering wheel to like-new condition, which is ready to top coat over time. UV light from the sun depletes the elastomers in you plastic or hard-rubber steering wheels, resulting in ugly cracks that really date your car.

Contents: PC-7 Epoxy, Adhesion Promoter, PRE- Painting Prep, Instructions



HIGH TEMPERATURE PAINTS

EXHAUST PAINT- ALUMINIUM COLOUR EW-10020Z

Protects exhaust components from **below** the manifolds or headers, all the way back.
(Not recommended for the manifolds or headers themselves.)

Perfect for protecting hangers, tail pipes and mufflers .

Coverage: ½ square metre
Withstands up to 316°C.
284 grams



HIGH TEMP BLACK SATIN AEROSOL EW-10393

Replicates old school look traditional headers and exhaust components.
Apply to bare clean surface, install component and the engine exhaust heat will cure the paint to a super durable and great looking coating.

Easy to touch up and will look great for years to come.

Temperature resistant up to 760°C.



HIGH TEMP-INTERNAL EXHAUST COAT EW-13795Z

Coat the inside of exhaust system components, traps the heat inside the tubing, lowers under hood and under car temperatures.

Comes with a 2 foot long, 360 degree aerosol extension nozzle for easy application.

For all new and used exhaust system components.

Allow 8 to 12 hours to fully cure

Thermal Coating withstands up to 982°C.

312 grams Aero



BILL HIRSCH'S Heat Paints

Space Age Black - 1093°C

Bright Aluminium - 1093°C

Cast Iron Grey 980°C

Brush or spray these on to new, clean, or sandblasted manifold and exhaust areas and they will restore the look to new.

Easy to use, withstands virtually all weather conditions, dries fast and yields amazing results.

Sizes.
475ml
Aerosols



PLASTIC BUMPER AND DOOR HANDLE REPAIRERS

LEATHERIQUE PLASTIC RESTORER

Leatherique Plastic Restorer be used to restore. Rubber and Plastic Bumpers, door handles, and black trim.

Restore the black faced parts/bumpers etc.



PLASTIC RESURFACER MATTE BLACK AEROSOL - EW-15089Z

Will restore and re-surface your external plastic bumpers and panels, returning the materials to their original lustre.

It is a permanent repair - It is not a paint.

It gets deep within the plastic to reflow the plastic and restore that factory finish look

312 grams



KITS



PPC FUEL TANK REPAIR KIT - good for up to 100 litre tank

(tried and tested for more than 15 years in Australia)

Kit contains:

- 4 litres x PPC Marine Clean, 1 litre x PPC Metal Ready, 1 litre x Fuel Tank Sealer, Repair material for sealing small holes and leaks., Detailed Instructions, A handy mirror - for checking inside the tank.

An easy 3 stage process :

- PPC Marine Clean mixed with hot water to clean all sludge, gum & varnish from inside the tank.
- PPC Metal Ready removes rust, coats the inside of the tank with zinc phosphate for added adhesion.
- Fuel Tank Sealer, seals with a non-porous coating
- **Compatible with all fuels including E10**



PPC MOTORCYCLE REPAIR KIT Up to 20 litre Tank Kit contains:

- 1 litre x PPC Marine Clean
- 1 litre x PPC Metal Ready
- 250ml x Fuel Tank Sealer
- Detailed Instructions
- Mirror

A kit designed for small tanks Petrol tanks, outboards, chainsaws, recreational vehicles, lawn motors, generators, etc.. An easy DIY process in three stages

For Fibreglass tanks, metal ready not required.

- **Not suitable for plastic tanks.**
- **Compatible with all fuels including E10**



RUST SPOT KIT coverage 1/2 square metre

Hirsch - Miracle Rust Preventive Paint

Kit contains:

- 250ml x PPC Marine Clean.
- 250ml x PPC Metal Ready,
- 125ml Rust Preventive Paint,
- 1 x pair gloves, 2 x paint brushes.
- Detailed Instructions and tips.

COLOURS AVAILABLE - Black, Silver, White, and Clear

A kit designed to be used in smaller areas, boots, floor pans, small jobs.



RUST HOLE REPAIR KIT

Kit contains:

- 250ml Metal Ready,
- 125ml Bill Hirsch Miracle paint,
- 125ml Acid 8,
- 4 x 25grm sachets P40 Hole Filler,
- 4 x 25grms P38 Filler
- 3 x Paint brushes, Sand Paper, Gloves & Instructions

Repairs small rust holes with ease. This kit includes everything you need to professionally repair rusted out panels



U-POL

P38 Filler (Bog)

P38 Filler has over 30% more resin than other fillers which gives it much greater adhesion.

P38 has ultra fine particles for perfect feathering of edges, and is manufactured under vacuum, which eliminates those pesky air holes you've experienced with other fillers. It's more flexible, tougher and able to tolerate higher temperatures than other fillers (you can even use it in a baking over!)

Available in sizes:

4 x 25g pack, 250ml, 600ml



P40 Hole Filler

P40 Hole Filler is for applications that require more strength, such as bridging holes, or filling high stress areas. P40 is loaded with tiny polyester fibres, which make it many times stronger than ordinary body fillers. Use P40 Hole Filler to make permanent repairs to deep pits or rust holes. Then use the P38 Filler to finish off the repair, for a final smooth appearance.

Available in sizes:

4 x 25g Pack 250ml 600ml 1 litres



U-POL EASY 1 BODY FILLER 3 Ltr

For deep repairs
Easy to use
Smooth texture polyester filler
Tack free finish
Vertical or horizontal repairs
Bonds to multiple substrates including galvanized Steel, metal and GRP



Alloy Wheel Filler

ISOPON Alloy Wheel Filler is a versatile filler that's strengthened with real aluminium to repair and prime scratches and scuffs in most types of alloy wheels.

High adhesion across most metals. Easy to sand to a fine finish. A tough and smooth repair.



4 x 25g Sachets

250ml

Plastic Bumper Filler

IsoPON Plastic Bumper Filler is a flexible, easy to use filler that's been specially formulated to repair scratches and scuffs in most types of plastic. Easy to sand and shape to exact bumper contour. Highly flexible with excellent adhesion



4 x 25g Sachets

250ml

500ml

Plastic Bumper Kit

Alloy Wheel Repair Kit

Contents:

8 x 25 g Alloy Wheel filler Sachets
1 x Hardener sachet
300ml Multi Purpose Primer Grey Aerosol
Tack cloth, gloves, Solvent Wipes
Sandpaper - 2 course, 2 fine
10 x mixing sheets



Windscreen Repair Kit - Cracks or Chipped

ISOPON Windscreen Repair Kit creates a tough long lasting repair to minimise the appearance of chips and minor cracks and stop them from spreading in



Complete restoration with
Wurth Wheel Silver and Clear
- perfect for German Cars



SOUND DEADNER AND UNDERCOATINGS



X-MAT Under hood and Headliner 51 x 39 x 1/4- EW-15825

Withstands up to **180°C** reduces heat up to **40°C** and sound as much as 8dB/ Lightweight Sound and Audio Barrier for the ultimate acoustic and thermal protection for your muscle car, street rod, boat or RV. Easily trimmed and installed under roof panels under hoods, trunks and more. Conforms well to complex interior contours and shapes.

Coverage 1.28 square metres.

SOUND REDUCTION:
up to 8dB

HEAT REDUCTION:
up to 105°F

RECOMMENDED APPLICATIONS:



Vibration & Sound Damping Butyl - 10 metres x 44mm

Single roll

A single sided 1.75mm special black butyl laminated to a 100 micron Aluminium. Supplied in a roll on a paper release liner, in a 10 metre length x 400mm thick.

Used for soundproofing and vibration damping and reduction of heat. Can be cut to shape / size and then easily moulded to conform to complex surfaces and can be painted over. Will stick to any clean, dry surfaces. Cars, Boats, Trailers Caravans, Ventilation ducts, machinery casings, lifts and conveyors.

COVERAGE: 4 square metres. - Average car is 3.8 square metres
Sold by the roll



LIZARD SKIN CERAMIC INSULATION 1 x Gallon (3.75 litre) Pail EW-51527

Heat insulating water based coating for virtually any metal surface.

Reduces surface temperature by approximately 6 degrees.

Clean up with soap & water.

Easier to apply in contoured areas than peel and stick products.

May be used over 21201 Lizard Skin Sound Control for maximum sound control and insulation performance

Withstands -42 C to 260 C
Covers 2.8 to 2.3 square metres at 0.040 (40mils /1 mm) thickness dry.



SPECIAL ORDER ONLY



LIZARD SKIN SOUND CONTROL FORMULA 2 Gallon (7.56 litre) Pail EW-21201

Easy-to-spray, vibration-dampening formula that effectively reduces interior noise and enhances sound systems.

Dampens annoying rattles, vibrations and road noise. Protects surface from starrng and rust Continuous protective moisture barrier.

Coverage: 7.65 litres pail covers 4.18 - 4.6 sq. metres



SPECIAL ORDER ONLY



Lizard Skin Super Pro Gun & Mixing Kit

EW-14754

Exclusively for Lizard Skin coatings, able to handle the thick viscosity of the coatings with ease.

Applying both coatings is a snap, without the tedious labour of cutting and pasting that traditional mat products require.

Simply hook up the spray-er to shop air and spray your way to a cooler and quieter ride .

SPECIAL ORDER ONLY



Wurth Stone Chip and Corrosion Protection Aqua - Black

Water based. Recreating and repairing the original structure. Can be overpainted.

Protect against stone chips, damage and corrosion.

For front and rear aprons, skirts.

Suitable as a vibration dampening compound for firewalls, doors and floors

1 litre



POWDER COATING KIT AND ACCESSORIES



POWDER GUN STARTER KIT DUAL VOLTAGE - EW-11676 (includes EW-11536)

Including 110v to 240v adaptor.

Dual-voltage Hot Coat gun, you can powder coat interiors and hard to reach corners. Coat and cure in under an hour. Quick colour changes. Economical. with 2 settings. One 236.5 ml can covers the same area as 2-3 spray cans. Contains no environmentally harmful solvents. Hot coat power coating requires an air source and dedicated electric oven (or toaster oven)

Including 110v to 240v adaptor*

Hot Coat Powders come in a range of colours

Prices vary with colours, please call for price .

Extra Kit Bottles - EW - 10198B - \$12.00 3 pack

• COLOUR CHART IS AVAILABLE ON REQUEST for POWDER COATING POWDERS

IF WE DO NOT HAVE THE EASTWOOD POWDER COAT COLOUR YOU REQUIRE WE DO AIRFREIGHT IN STOCK WEEKLY.



POWDER COATING POLISH EW-15862

Polish cured powder coated finishes and painted surfaces to a mirror gloss with Eastwood Powder



SILICONE PULL PLUG KIT EW-58113

Assorted Reusable Silicone Plugs - Prevent powder build-up in critical tolerance areas like threaded holes and more. Silicone plugs are reusable because cured powder rolls right off. This kit includes 125 plugs. Plugs range in size from 0.062" to 0.896" diameter. Reusable storage box included. Made in the USA



SILICONE CAP KIT - EW-58814

Assorted Reusable Silicone Caps - Prevent powder build-up in critical tolerance areas like threaded studs and more. Silicone caps are reusable because cured powder rolls right off. This kit includes 125 caps. Caps range in size from 0.040" ID to 0.295" ID. Reusable storage box included. Made in the USA



HI-TEMP POLYESTER MASKING TAPE

10.7mm x 66 metres - Ew-16316 \$15.00

10.9mm X 66metres - EW-163187 - \$18.00

12.7mm x 66metres - EW-16318 - \$23.00

Green Polyester for powder coating applications. Removes cleanly from surfaces without leaving a residue.


Maximum Temp - 260°C Thickness: 3.5mls Can be used for E-coating, plating and anodizing. Tape off large areas, general purpose die cutting. PC board masking



HI-TEMPERATURE FIBREGLASS TAPE

EW-10027

Protect bolt threads and studs from powder. 33 metres long by 12.7mm wide of fibre-glass tape t Withstand high cure temps.



EASTWOOD TOOLS

GLASS POLISHING KIT -DEEP SCRATCHING EW-12526

This professional glass polishing kit can be used to fix scratched glass and clear away years of dings and wiper haze from your windshield, and save you hundreds of dollars in potential replacement costs. Ideal for older cars with hard-to-replace windshields



BUFFING AND POLISHING KIT - EW-50341

17-Pc. deluxe polishing kit makes your steel, stainless, aluminium and plastic automotive components shine brightly! Use your electric drill, cordless drill or pneumatic die grinder for easy, effective, polishing jobs—on or off the vehicle.

Contents:

5 compounds (one 125ml. tube each: brown Tripoli, gray stainless, white rouge, jeweller's rouge, blue plastic),
5 small felt bobs,
2 mushroom buffs



PUNCH & FLARING DIES -

EW-20530 - 1" EW-20355 - 1.5"
EW-20531, 2" EW-20532 - 2.5"

Punch and flare a 1.0, 1.5, 2.0 or a 2.5 inch hole without a press. All that is needed to create a hole and flare is a 1/2 inch pilot hole and a 3/4 inch wrench.

An easy process that can be done on a vehicle, on the work bench or on the job site. Punches a clean hole and produces a smooth flare. Made of Hardened Steel. Handles up to 16



PUNCH AND BEAD DIES -

EW-20533 - 1" EW-20356 - 1.5" ,
EW-20534 - 2" EW-20535 - 2.5"

Punch and bead a 1.0, 1.5, 2.0 or 2.5 Inch hole without a press. All that is needed to create a hole and bead is a 1/2 inch pilot hole and a 3/4 inch wrench.

An easy process that can be done on a vehicle, on the work bench or on the job site. Punches a clean hole and produces a smooth bead.

Made of Hardened Steel.
Handles up to 16 gauge mild steel, 19 gauge stainless and 14 gauge



ROCKWOOD PISTOL GRIP NEEDLE SCALER EW-31819

The Rockwood Pistol Grip Needle Scaler works fast on heavy rust, scale and caked-on grime removal from most heavy duty steel and cast iron frames and components.

Variable Speed Control.

4,500 Blows per minute.

4 CFM [113 L/min] @90 PSI. [6.3bar]. It has A hard-hitting, 1-11/16" [43mm] stroke with 6" [150mm] Chisel Fingers for maximum effectiveness.

Easy speed control



ENGINE PORTING KIT EW-46056

The Engine Porting Kit will port or smooth-off rough head castings around the intake and exhaust ports for improved smoother air flow.

Increase horse power and torque of any engine designed for Cast iron and Aluminium Cylinder Heads.

Works with air or electric 1/4" collet die grinder.
Also see Carbide Burr set - page 30



CONTOUR SCT SURFACE CONDITIONING TOOL

EW-21145 (requires 2000 watt - 110 - 240V Transformer)

Fully adjustable RPM range from 1000-3700 Powerful 9 Amp double insulated motor. 6 Speed position rotary knob. Includes one 4 inch wide by 4 inch diameter finishing drum. Ready for any paint or rust stripping project, it features a drum guard enclosure and a rigidly mounted "D" handle for maximum safety. A high-torque, ball bearing supported motor and hardened spur gears provide smooth operation and long life. Speed is easily controlled with a 6 position rotary knob and ON/OFF trigger control.

Including 2000 watt 110 - 240V Transformer and 5 metre USA extension cord



Expanding Drum EW-21146

Abrasive Drum EW-21171

Buffing Drum EW-21172

Drum EW-21158- 120 grit Finishing

Drum EW-21173 - 80 grit Stripping

Drum EW-21174 - 120 grit stripping

Drum EW-21175- 240 grit Stripping

Drum EW-21176- 320 grit Finishing

Scale Drum EW-21177

2-piece Sanding Band ea.

EW-21152 - 80 Grit / EW-21155- EW-21156 - 240 Grit



120 grit



EASWOOD TOOLS - continued



PROFESSIONAL BRAKE TUBING FLARING TOOL

EW-25304

Create 3 x precision flares, with 5 size tubing 3/16 1/4" 5/16" 3/8" and 4.75mm tube retaining dies. in minimal time.

Create safety brake flares. 45-degree single, double and bubble brake flares in seconds.

Work with stainless steel, steel and soft metal tubing.

For brake lines, transmission cooler lines, fuel lines. Turret-style indexed head keeps all brake-line-forming dies ready to use.

Quick-release "T" handle screw clamp securely holds the tube-retaining dies.

Instructions and case Included

*** RECOMMENDED**



TRIPLE HEAD 180 DEGREE TUBING BENDER

3/16—3/8 EW- 12435

Make your own, air conditioning, fuel and transmission lines.

Bends 3/16" , 1/4" , 5/16" , or 3/8" tubing steel, aluminium or copper, into smooth, tight, 180 degree bends.



HANDHELD TUBE STRAIGHTENER

EW- 30537 - 3/16

EW-30538 - 1.4

EW-30539 - 3/8

EW-30657 - 5/8

Quick easy way to straighten coiled, or bent metal brake or fuel line tubing.

Works on Steel, Stainless, Copper and Aluminium.

Available in 3 sizes



37 DEGREE FLARE DIES

EW - 30005

Accessory kit to EW-25304 Professional Brake Tubing Flaring Tool, and works on 3/16", 1/4", 5/16" and 3/8" tubing.

Kit includes 7 punches on a turret and 4 die blocks to quickly convert your 25304 to create 37-degree flares. (Dies you got with your 25304 only create 45-degree flares.) 37-degree flares use in many custom, hydraulic and military applications where AN- or JIC-type fittings are used.



BRAKELINE STRAIGHTENER

EW - 30757

Straighten **hard metal lines** with just a simple squeeze, on or off the vehicle. Straightens 1/4" and 3/16" brake lines. Work mild steel, stainless steel and other metals. Designed with maximum leverage to work one handed. Radiused jaws for bending custom tubing during installation.

Padded handle for easy use.



BRAKE FORMING TOOL

EW-49074

Align, bend and adjust 3/16" and 1/4" brake and fuel lines with just a twist of the wrist.

Whether fitting new hard lines, or decreasing the bend radius next to an end fitting, these brake line forming tool pliers are indispensable.

Comfort-grip vinyl handles

*** RECOMMENDED**



PROFESSIONAL RATCHETING TUBING CUTTER

EW-13732

Tighten onto the tubing , start rotating the handle back and forth ratcheting action turns easily in tight spots.

Spring-loaded mechanism keeps pressure on the blade until the cut is clean and complete.

Tighten it just once.

Perfect for work (brake, gas or hydraulic lines). 1/8" (3mm) to 3/8" (10mm) tubing capacity



PROFESSIONAL TUBING CUTTER

EW-14502

The professional tubing cutter will easily cut tubing from 3/16inch to 5/8inch.

The heavy-duty cutting wheel is designed for use on all types of metal tubing including aluminium, steel, stainless steel



TUBING DE-BURRING TOOL

EW-30448

Deburs rough cut tubing ends for perfect flares.

Cleans up the inside diameter of any sized line fro 1/8" to 1/2" inch and the outside diameter of any sized line from 5/32 inch to 9/16 inch.

It works on all commonly used material such as mild steel, stainless steel, copper, aluminium and more



EASTWOOD TOOLS - continued

SOLID RIVET KIT EW-20127

Includes all components required to drive AN470 aluminium (around head) rivets in both 1/8 and 3/16" diameter into steel and aluminium.

The same rivets used on aircraft and high performance race vehicles.

Kit includes: Professional pneumatic rivet gun 1.8" and 3/16" rivet sets for round head rivets.



RIVET - Brand: Aircraft Tool Supply

EW-20126	1/8 in dia x 5.16in
EW-20140	1/8in dia x 3/16in long rivet
EW-20141	3/16in dia x 5/16in long rivet

Each packet - 470 style aluminium rivet. Made for 1000 series aluminium for aluminium or steel panels. MS20470 4 3 or AN470 4 3 industry part numbers. 1/4lb, approximately 430 pieces

per 430 rivets



PNEUMATIC RIVET TOOL EW -20144

4500 blows per minute rivet gun with 1/4 inch air inlet and 2.8cfm requirement at 90psi. Variable speed trigger, accepts standard .401 shank tools.



EW-20142 Rivet Set 1/8
EW-20142 Rivet Set 3/16

PANEL PREP TOOL EW-21130

A must for a beginning welder and professional alike. Minimizes blow through and warpage. Patch panels of full quarter panel replacement. Simply cut patch or full panel. Overlay panel over repair area, scribe and cut panel on vehicle and use the Panel Prep Tool. Each strike forms a perfect 0.062" x 45" bevelled flange. Works great in 22 to 18 gauge. Proper weld-prepped edges allow



PANEL FLANGER EXTRA WIDE EW-31090

Extra-Wide, Adjustable Locking Flanger helps repair flush panels by flanging into corners or longer sections.

- Creates straight flanges 2-1/2" long x 5/8" wide
- Strong cam-action jaws
- Fits into hard-to-reach areas
-

Extra-wide Panel Flanger produces a step deep enough for flush repairs in 18-gauge or thinner metal. Flanges into corners or long, straight sections.



INTERGRIP PANEL CLAMPS - EW-19016

4-piece Inter grip Welding Clamp set easily aligns and grips panels for precise butt welds.

Miniature butt-weld align panels edge-to-edge and surface to surface with the appropriate 0/040" gap that helps you produce clean welds with minimal grinding.

Set of 4 clamps



MINI PUNCH WELD CLAMPS EW-13525

Pinch Weld Clamps holds where larger clamps won't fit. Get this miniature 4-pc. Holds outer panels to inner heel lips, rockers, trunk well opening, custom dash or door panel fabrication, outer door skins, and more.

113 kilograms. of clamping force.
1/2" capacity
For pinch welds, flange welds and other uses in home and shop. Holds sheet metal



PANEL HOLDING SYSTEM (clecos)

EW-19074

Your "third hand" holds 2 panels together while you rivet or weld. The same kind of handy blind holders used by custom car builders. Ideal prep for fabricating, riveting and welding. Allows for proper alignment and fit. For sheet metal or fiberglass panel. Easy to use.

Contents: 2 x End clamps, 10 Clips and Pliers
10 pack clecos available.
EW- 19073



FLANGER & HOLE PUNCH COMBINATION TOOL-

EW-31018

This swivelling head doubles its functions. Turn one way, the tool produces a neat flanged edge in sheet metal, just the right depth for welding two pieces together.

Turn the head 180 degrees and the tool becomes a hole punch producing 3/16" diameter holes perfect for easy riveting or plug welding.

- Flanger / Hole Punch / For metal up to 18-gauge
- 8" -long handle produces greater leverage



37 INCH CURVE TEMPLATE EW 20498

- Duplicates complex shapes exactly
- Copy and repeat accurate cuts up to 3" long
- All steel construction with flexible, spring steel face
- 8 locking segment design for maximum accuracy
- Use with metal body panels, fiberglass, wood, fabric and more



EASTWOOD TOOLS - continued



METAL GAUGE

EW-28038

Metal gauge shows all sizes of sheet metal and wire from thin 36 gauge to thick. Takes guess work out of measuring.

O gauge.

Tempered for long life. Great handy present for the man who has everything.



PIPE & TUBING NOTCHER

EW-21749

Secures up to 2"-diameter. round tubing to notch angles of up to 60 degrees.

Use our Pipe Notcher with any handheld drill or drill press to notch pipes and tubing for easy joining.

Create any angle saddle notch on pipe for weld fit-up.

Use a standard hole saw up to 2-1/2" in dia. (not included)

Notches up to a 2"-dia. round tube

Notches up to a 2" x 2-1/2" rectangular tube.



4" METAL BENDER

EW-20521

The Eastwood 4" Metal Bender is a high quality, industrial style tool capable of generating a powerful 2-1/2 tons of pressing force to create 90° or lesser repeatable bends in mild steel and aluminium up to 4" wide



ROD FORMING TOOL

EW-21320

Industrial style tool with a powerful leveraged force to create 180° or greater bends in mild steel and aluminium rods up to 3/8" diameter and flat stock up to 1/2" wide and 3/16" thick. Easily mounts in most vices.

Creates bends in round, flat or square stock.

Makes bends from 1/2" to 1-1/2" ID over 180 degrees.



PANELBEATING SANDBAG AND TEARDROP Mallet KIT

EW-28045

Give support and flexibility for precision panel beating and metal shaping.

Just add dry sand to the panel beater bag and it will support your sheet metal work piece whilst "giving" under the mallet blows, to allow your metal piece to be formed into shape.

Hand-form metal without nicks or gouges and with minimal stretching.

All-leather, 18" x 18" panel beater bag has a hook-and-loop fill opening.



Includes:

Non-marring,
2 - 1/2" teardrop mallet.
Hammer and Bag



MINI ROTARY SHEAR

EW-20642

Rotary design for both straight and curves cuts. It is precision designed and manufactured to allow for quick and easy trimming of sheet metal pieces and the rotary designs allows for both straight and curved cuts. Hardened, round, cutting dies product clean, burr-free cuts in aluminium, steel and other mild metals.

16 Gauge Aluminium

18 gauge Mild Steel

20 gauge Stainless Steel



AIR SHEARS

EW-13743

Make clean cuts in metal up to 18 gauge.

Built for everyday use in auto body shops, sheets metal shops, machine shops....and your shop.

4500 strokes per minute to aggressively cut through most metals and plastics.

Slices through up to 18-gauge metal, without chips.

Cutting head rotates for precise contoured cuts.

Needs just 4cfm at 90 psi, so you can use a DIY compressor



PRO-FORMER TUBING BENDER

EW-12485

Use the hydraulic ram power to help you bend steel tubing easily.

Using the latest in metal-forming technology, it multiplies your power to assist you in producing accurate bends easily. No kinks, no flattening.

Perfect for tube chassis fabrication, custom cross members, transmission mounts and general shop fabrication projects.

Kit includes

5 dies z:-

75" , 1.0" , 1.5" , 1.625" and

1.75" diameter tubing .



EASTWOOD TOOLS - continued

**ELITE 27" BEAD ROLLER EW-21327**

Special Order Only

**19" METAL BEAD ROLLER - EW-32044**

Add strength and rigidity to metal panels. Replace floor pans, firewalls, trunk floors. Create channels, flanges and other profiles. Fabricate decorative custom designs.

Handles up to 38" wide work piece
4 mandrels.

Mounts in your bench vice.

Forms steel up to 18 gauge, aluminium up to 16 gauge. Industry standard 22mm shafts.

**8" BEAD ROLLER HEAVY DUTY**

EW21487

Manual produce strengthening ribs in panels, shape edges and form intricate designs in any panels. 8" throat depth. Handles up to a 16" wide panel. Industry standard 22mm shafts. Gear-driven design delivers man forming power.



Includes 3/8" Bead Die Set and Offset Die Set

**LOUVER DYES - EW-28160**

Use with Eastwood Bead Roller (32044, 28187, 21327, and 21487) you'll be able to produce professional looking louvers.

Produces 3/4" wide by 3/16" high louvers

Works on up to 18 gauge steel and gauge aluminium



14

**27" BEAD ROLLER FENCE - EW-21328**

Designed to fit the Eastwood Elite 27" Bead Roller to create precise, perfect straight line beads and offsets in metal panels up to 40" wide. Quick and easy to install, adjust and remove. Keep the edge of the metal panel against the face of the Fence with an even pressure which will produce a consistently straight bead or offset parallel to the edge of the metal panel.

**BEAD ROLLER FORMING DIES -**

EW-20267

Fit most bead rollers with 7/8 in or 22mm shafts. Made from CR12 steel with a 35 HRC hardness.

Create hemmed edges, offset flanges, contours, deep channels and style lines.

Dies included: (9 steel dies and 1 polyurethane lower wheel)

180 degree lower die, Inside offset die,

**BEAD ROLLER 4 Spoke Crank - EW-32045**

Take your bead roller from a two man operation to one. This crank has 8" spokes and Aluminium block that takes place of your existing one arm crank.

Fits bead rollers with 22mm shafts

Easy set screw attachments

Four arms ensures and easy

pull every time. **(Ordered on request)**

**ENGLISH WHEEL BENCH TOP EW-14156**

Metal Fabricate auto panels and general metal-shaping. Easily shrink, stretch and custom-form shapes in up to 16 gauge steel. 20" throat and 18" internal height.

With large 8" and 5" radius anvil wheels.. Micro-adjustable and anvil adjustment wheel. Mounts to the bench for a good sturdy base.

Included is EW-20017 A 4 Anvil set

(3,4,6, and 8 inch anvils)

(Ordered on request)

**ENGLISH WHEEL FORMING BAND**

EW-20637

3" wide x 0.063 thick, high-density EPDM rubber.. Fits Eastwood and all other 2" x 8" Upper Wheels. The EPDM material transfers energy across the work surface under light pressure which enables more material forming per pass.

**THROATLESS SHEAR EW-11797**

Makes quick, clean, cuts in metal.

The cast iron throatless shear allows you to make straight, intricately curved and irregular cuts in metal with ease and accuracy.

Rack and pinion gearing, plus extended handles, improve your leverage. Tool steel blades slice through 14 gauge mild steel, 18 gauge stainless steel.

Throatless shears is crafted of rugged cast iron.

**SHRINKER/STRETCHER COMBO SET**

EW-51088

Fabricate gentle radius bends and contours in steel, aluminium, stainless or copper. Compound 45:1 leverage allows effort-

less forming without making relief cuts, heating or hammer-forming. Ideal for perfect-fit rust-repair metal work around wheel openings, doorjamb, windshields and trunk gutters.

The set includes 2 jaws, 2 housings and 2 handles.

Works on up to 18-gauge mild steel, 20-gauge stainless and 16-gauge aluminium.



EASTWOOD TOOLS - continued



TUBE STRAIGHTENER EW - 14501

" The Serious One "

Straightens light wall tubing from 3/16 inch to 1/2 inch.

Can be vice mounted or permanently mounted to a bench.

All types of tubing can be used in this straightener, even stainless steel. Simply pull your tubing through the series of ball bearing mounted rollers and laser straight tubing comes out the other side.

Great for use on straightening coils of brake tubing



FLEXIBLE STRIP CAULK BLACK - 2lbs /907 grams

EW-13524

For sealing narrow gaps in your garage or in your home.

Seals-out moisture and dirt from irregular openings.

Non-hardening, paintable caulk strips match the original equipment look.

Perfect for firewalls, taillight housings, trim, HVAC systems and anywhere a gap needs to be sealed.

907 kilos of 3/16 " x
12" long strips.

Stays flexible.

Good to 66 degrees C

Paintable - Black



FAIRMONT PROFESSIONAL HAMMER AND DOLLY SET

EW-15332

Precision engineered. High quality materials. Heat treated, hand ground and polished surfaces.



TRIM HAMMER

EW-13146

The Trim Hammer makes fine trim repair simpler, even in tight spots 57gram to 85 gram drop forged head.

Hickory handle for superb balance and durability
4" - long head.

Use the face to remove dents in flat stainless trim and use the cross pein to work in tight edges and corners.



TRIM ANVIL WITH STAND - EW-13336

Contoured for trim forming needs . Includes - conical and pyramid tapered horns and square flat centre.

Measures 5 - 14" long by 1" wide by 2 - 7/8" tall and weighs 228 grams.

Features a 11/16" ball peen and 1" flat face, overall head length 2 - 1/2" . Unique handle provides ideal balance and user comfort overall length 9 - 3/4" , weight 85 grams.



TRIM HAMMER & ANVIL WITH STAND KIT EW-28242

The Trim Hammer and Anvil can be purchased as a kit



EASTWOOD TOOLS - continued



BLAST OUT OF A BUCKET KIT

EW-21109

Soda - A-GS 4.5 kilos available.

High Performance Blast Gun Assembly

Draws 14in Hg of vacuum @ 80 PSI.

5' Suction Hose

Pick Up Tube & Clamps

3 Replacement Nozzles

1 Replacement Jet

Requires at least 7 CFM @ 80 PSI of clean dry air.

A bucket of Soda 4.5 kilos

Connect to your compressed air supply and drop the pick-up tube into a bucket, bag or box of media and go blasting. Provides a method to strip away old paint and coatings, body fillers, accumulated dirt and minor to moderate rust leaving a clean, bare metal surface ready for local damage repair or painting



MAGNETIC PLUG WELDER TOOL

EW-51565-H - Horizontal

EW-51565-V - Vertical

EW-51565-R - Round

Magnetic Backing Tool makes it easy to weld-shut a hole in the middle of the panel. The tools have a magnetic base that can adjust the copper pad to fit securely at the weld area.

- Horizontal has a 2.5" in length.
- Vertical has a 2.5" pad in length
- The round tool has a 1 - 1/4" diameter copper swivel magnetic - for **holes** up to 1" in diameter



ROCKWOOD PNEUMATIC PAINT SHAKER

EW15205

Air powered paint shaker mixes standard pint to gallon cans perfectly in minutes.

Fits standard 1 x 500ml to 5 litre round paint cans. Compact, lightweight design Heavy duty construction.

1110 cycles per minute.

Requires 70psi @ 4.3cfm.

Durable powder coated finish

Lightweight and compact, it can be set up and ready to shake paint in almost no time at all.



Rockwood Pistol Grip Needle Scaler Tool

EW-31819

The Rockwood Pistol Grip Needle Scaler for heavy rust, scale and caked-on grime removal from most heavy-duty steel and cast iron frames and components.

Variable Speed Control - 4,500 Blows per minute - 4 CFM [113 L/min] @90 PSI. [6.3bar] - It has A hard-hitting, 1-11/16" [43mm] stroke with 6" [150mm] Chisel Fingers for maximum effectiveness.

Speed is easily controlled with an infinitely progressive, rotating knob control.



EASTWOOD TOOLS - continued



MAGNETIC WELD CLAMPS

EW-22993

Magnetic Copper Backer set helps you weld without burning holes.
Two magnetic copper backing panels provide hands free support when doing butt-welding or welding holes in sheet metal.

Prevent warping and weld burn-through welding material won't stick to copper.

4" and 8" copper panels are magnetic;
no hands or clamps needed

(kit of 2)



STITCH WELD MAGNETS

EW-20421

Hold patch panels in place from the outside, perfect for blind repairs.

Specs: 8 pack of strong rare earth magnets. 1/2 inch (12.7mm) diameter disc. Hold flush patches in perfect alignment. Position panels with no gaps. Perfect for blind repairs. A few of these magnets and never feel like you need 3 hands again.



STUD WELDER DRAW PINS 2.00mm 500 per bag

EW-31041C

The pack of 500 Draw Pins replace the pins included with the Stud Welder.



PLUGWELD PLIERS

EW-19134

Easier to use your MIG welder for plugging small holes in metal.
Copper pad eliminates problem of burn-thru
Weld won't stick to copper pad
"U" shaped jaw puts uniform pressure on the spot to be welded.
Locks in place like a locking pliers.



MIG SPOT WELD KIT

EW-13901

Duplicate full-penetration OEM spot welds from one side.
No need to buy a resistant spot welder or fool with carbon arc rods.

Spot Weld Pliers have forked jaws to secure the spot nozzle, offering full penetration on the back side of the weld.
Spot Weld Nozzle has "Leg Extensions" to standoff distance required for spot welding of 20- and 18-gauge metals.

This kit is designed to be used with Eastwood welders as well as any other brand, that utilises a Tweco style Mig Torch.



MIG STUD WELDING KIT

EW-20636

Transforms your MIG welder into a Stud Welder which can be used to repair and remove dents from sheet metal.

The kit includes MIG Stud Nozzle Slide Hammer 1-- 2mm Pins.

The nozzle included in this kit was designed to work with Tweco style nozzles and may or may not work with other style MIG torches.

Contents:

Stud Welding Nozzle, Slide Hammer 2mm Hex Key, (100) 2mm Pins.



EASTWOOD TOOLS - continued

SPOTWELD DRILL 3/8 inch PRO M2 STEEL

EW-19017

Solid Steel Pro Spot-weld Cutter effortlessly drills-out spot welds 1 piece cutter makes clean cuts through spot weld, without damaging the bottom panel

- 3/8" (10mm) diameter
- Solid, 1-pc. Mt steel
- Self-centering
- Over 300 cuts without sharpening


MIG LIGHT EW-11614

MIG Light from Steck to light your welding area before you strike an arc.

AAA battery powered LED, Easy on auto shut off. Easily mounts utilizing a flexible mounting bracket.

This will fit all MIG torches from 1/2" to 3/4".


MILL CUT BODY FILES

Made from high grade steel. 14" Mill cut body file - 10 tpi for fast cutting. Use solid maple file holders for maximum precise result

HALF ROUND FILE - EW-31051


FILE HOLDER FOR HALF ROUND BODY FILE -
Use with Half round File EW-31053


FLAT MILL COARSE CUT BODY FILE - EW-31029

COLD SHIELD EW-13904

Stop Welding Heat Damage - We held onto a small metal panel while a torch heated the metal almost white hot. The part in my fingers never went above about 30 degrees C. Imagine how well Cold Shield will let you weld close to plastic trim, wiring, or minimize panel warpage and paint damage. Once the job is done just wipe it off with a water dampened cloth.

Cold Shield is non-toxic and biodegradable. Made in USA

946 litres jar.



FILE HOLDER FOR FLAT BODY FILE EW-31052 -
Use with Flat File EW-31029


TINNING BUTTER - 454 grams tub

EW-31043

Tinning Butter Flux is made of premium 50% tin powder that bonds to the metal when heated with an ordinary propane torch.

Leaves a good base for additional body solder.

Easy to apply right from the tub.
Just brush on and heat the metal
No mixing required

454 gram tub


LEAD FREE BODY SOLDER EW-11460

is stronger and safer to use than lead-based body solder.

- Wide working range (over 500 degrees)
 - High-strength, easy formability
 - Clings even to vertical services
 - 4 bars, each 20" long, 1/4" in diameter
- Eastwood's Lead-Free Solder is ideal for levelling and building up edges and style lines on horizontal and vertical surfaces.





EASTWOOD TOOLS - continued



HINGE PIN REMOVAL PULLER

EW- 31139

Replace worn hinge pins. This heavy duty hinge pin remover/installer fits a wide range of antique and modern hinges up to 2 7/8" wide. Cast iron frame.

A strong acme threaded bolt with 3 case hardened 18-8 stainless extension pins measuring (1", 1 1/2", and 2") exerts enough pressure to remove most pins.

Removes hinge pins up to 7/16" (.437"). Tool Clearance over 1/2" (.530").



8 PIECE DUAL-CUT CARBIDE BURR SET -1.4 inch SHANK

EW 11779C

8 carbide burrs shape and deburr quickly and accurately and precisely remove metal when shaping, levelling, or porting cast iron, steel and other ferrous metals.

Double-cut and precision-ground for vibration-free operation in your 20,000-rpm die grinder. All burrs have a 1-1/2" long, 1/4" shaft.

Contents: 2 x cylindrical burrs: 1/2" x 1" and 3/8" x 3/4".
2 x cylindrical/radius-end burrs: 3/8" x 3/4" and 1/4" x 5/8"
2 x ball burrs: 1/4" and 3/8" diameters
2 x cone/radius-end burrs: 3/8" x 3/4" and 1/2" x 1"

(8 piece Kit)



DRILL PRESS V BLOCK FIXTURE

EW 43369

About Drill Press V Block Fixture Centre It

It makes it easy to drill through the centre of bar stock and round tubing.

Also works great for holding tubes in place while sawing. Constructed of heavy 6065-T3 Aluminium for years of use.

It measures 4" wide by 5" long.

The 2" vee with 90 degree angle suits most tube applications.



If you see anything on the Eastwood US website, that we do not stock yet. Give us a call and we will give you a price and an approximate date of delivery.

With tools, we can airfreight them in.



29PC RATCHETING BIT SET EW-70289

Turn fasteners in your home, car, motorcycle, boat or any other application.

Easily drive and loosen hex, phillips, pozi, slotted, torx and tamper torx fasteners with the speed of reversible ratcheting action and the simple on/off engagement of bits. The mirror polish finish is easy to clean while the 1/4 inch drive adapter transforms this indispensable tool into a ratchet to drive any quarter in socket (not included). Access hard-to-reach spaces with the extended magnetic bit holder.

Set includes:

1/4 Inch fine tooth bit ratchet with forward/reverse switch lever
1/4 Inch magnetic bit holder for easy on/off engagement of bits
1/4 Inch socket adapter to drive sockets (sockets not included)

All these functions in a kit that fits in your pocket!



PAINTERS NIB FILE SET OF 3 EW-34003

Dress down hardened high spots in your paint jobs.

Honed tips "shave" without digging in. Allow a

day to pass after the initial cut for the solvents to evaporate. Then dress down hardened high spots.

Finish off the repair with 1500-grit wet/dry sandpaper and polish.



EASTWOOD TOOLS- continued



THE PAINTLESS DENT REMOVER EW-16145

The Eastwood Paintless Dent Removal Kit includes all professional-use components which allows shallow dents and dings to be removed quickly and easily without expensive paintwork. Perfect for pulling hail damage and most common parking lot and shopping cart mishaps.

DENT REMOVAL PROCEDURE

Select the Plastic Pull Button that best matches the size and shape of the dent to be pulled. Generally, the very centre of a dent is the best placement however larger dents may benefit from multiple pulls from different locations. Using a non-permanent type marker or masking tape, trace a circle around the outside of the planned location of the Pull Button



Immediately apply the face of the Pull Button to the previously outlined area and hold firmly in place for 10 to 15 seconds.

Wait several minutes for the heated glue to solidify then hook the slotted feature of either the Levered Puller or Slide Hammer shaft over the " T " feature of the Pull Button. Operate the chosen pulling device to remove damage.

PULL BUTTON REMOVAL

Fill the Aluminium Spray Bottle 3/4 full of denatured alcohol (not included). Apply the denatured alcohol liberally to the glue area while using the Nylon Scraper to gently wedge between the Pull Button and paint surface. Carefully remove glue with provided nylon scraper. **Note:** Be careful if using on a vehicle that has been resprayed. The paint is not bonded as well as a factory finish and may lift.

PAINTLESS DENT REMOVAL KIT - Replacement Glue Sticks - EW-16146

These are the correct glue sticks to use.
The local normal glue sticks do not have the same strength.



FISHEYE IN LINE AIR FILTER SYSTEM EW-16148

It doesn't trap water and other harmful contaminants – IT BLOCKS THEM! The advanced element in our product filter down to .85 microns, while still maintaining excellent air flow. When the element becomes completely saturated, it reduces air flow and will not allow you to spray to your desired PSI until the element is replaced. This is important in maintaining the quality of your painting and to the longevity of your pneumatic tools.

FISHEYE INLINE REPLACEMENT CARTRIDGE EW-16149



LEATHERIQUE

Leatherique – USA

Rated by Rolls Royce Club of America as one of the best after market products

This original formula; a patented, pH-correct blend of natural oils, fats and collagen to nourish and maintain healthy leather and restore suppleness, adding new life to tired leather. Leatherique re-restores cardboard-hard leather.

It does not contain greasy oils or cheap water fillers, waxes, silicones, or mineral oils.

Leatherique Rejuvenator and Leatherique Prestine Clean - Restore and Clean (2 part process)

Leatherique Rejuvenator - Use this first as it moistens and softens your leather while bringing in-grained dirt to the surface. This will restore the suppleness, by re-feeding the leather with natural oils lost over time. For the best results annually apply to your car seats, lounge suites etc.

Apply by massaging in the Rejuvenator. Allow the leather to absorb the product over a 24 hour period.

Available sizes" 250ml, 500ml, 1 litre

Leatherique Prestine Clean removes the dirt. Note that Prestine Clean is an excellent Vinyl cleaner.

It treats the full depth of the leather. It is easy to use.

Coverage: Medium size car or 3 seater lounge - 500ml of each product

Available sizes: 250ml 500ml 1 litre



Leatherique Steering Wheel Repair Kit

Restore your Leather Steering Wheel to its original glory.

- 1 x 125ml Leatherique Rejuvenator to feed .
- 1 x 125ml Leatherique Prestine Clean - for cleaning
- 1 x 30ml Leatherique Crack Filler - fill any cracks, dry and sand
- 1 x 125ml Leatherique Prepping Agent - apply in preparation for the dye.
- 1 x 125ml Leatherique Dye
- Instructions



LEATHERIQUE

Leatherique Complete Leather Re-dying (Follow Restore and Clean)

Leatherique Redyeing - Prior to dying your leather we strongly suggest you go through the rejuvenating and cleaning process to return the leather to its normal supple and clean state.

To achieve an accurate colour match, please supply a colour sample of leather.. this can be cut from under one of the seats, or send a headrests, or it could be a complete colour change (common on lounges).

Coverage: Does depend on the size of your car and your lounge suite. 250ml will do two front seats. 500ml will do a full car. Rolls Royce inc door cards 1 litre. Call us on (02) 9999 0122 and we can advise you.

Step 1 Leatherique Prepping Agent

1. Wet sand with a 600 grit paper using the Leatherique Prepping Agent. This allows any old loose dye to come off and it keys the surface for the new dye to bond. good preparation is the key to success.

Available sizes" 250ml, 500ml, 1 litre



Step 2 - Leatherique Dying

2. Shake the Dye bottle to rotate the glass bead inside, this will agitate any dye that has settled into the bottom of the bottle. Pour this out into a plastic container.
3. The **best way** of application is wet wiping with a cloth. But it can also be sprayed and brushed. Remember this is a dye and not paint. The biggest mistake is applying too thickly.
4. Normally more than one coat is needed. Apply in multiple thin coats. If you wish to do a complete colour change you will need to apply 3 coats just to get a colour change, followed by a few more.
5. Allow to dry and treat it gently for 48 hours, then buff up with a soft cloth.
6. Stage 2 completed.



Available sizes": 250ml, 500ml, 1 litre



Before



After



Before

After

LEATHERIQUE PLASTIC RESTORER

Leatherique Plastic Restorer be used to restore. Rubber and Plastic Bumpers, door handles, and black trim. Restore the black faced parts/bumpers



CRACKS in LEATHER - If you have cracks in your leather. They can be fixed. Leatherique Rejuvenate and Prestine Clean first. Apply Crack Filler with a little Dye. Let it dry. Flat sand any excess crack filler off, leaving a flat surface. **You need to re-dye after using Crack Filler**



2LEATHERIQUE - CANVAS DYE

LEATHERIQUE CANVAS DYE

Re-Dye your tired Canvas - Tents, Caravans, Boat Covers, Awnings, Biminis, Tarps and much much more

A four part process.

1. Wash the canvas well with mild detergent and water. Use a broom, or brush to give it a good scrub. Do not clean with a high pressure (Karachi type) as this will destroy any waterproofing that is on the canvas. Rinse well with a hose. Hang up and let it dry.
2. Shake the dye bottle well (there is a marble to assist in mixing).
3. Pour ALL the content into a plastic container and mix well. The pigments are heavy and will settle so stir at all times. If you are not going to use all the content at once, follow this process as it is important to keep to the colour even.
4. To apply colour, dip a sponge / brush (we prefer a damp sponge) and start applying in light strokes. Less is better. Two light coats are better than one heavy one for canvas penetration. Stir every few minutes to keep pigment floating. Allow to dry for one hour.
5. Apply a second coat or dye the inside of the canvas.
6. Allow to dry for 48 hours before folding.



BEFORE



AFTER

Standard colours are available:

Aquamarine, Black, Burgundy, Cadet Grey, Jockey Red, Marine Blue, Pacific Blue, Persian Green, Captain Navy, Toast.

If you would like a different colour canvas dye, send us a sample.

Coverage:

Approximately 6 square metres depending on the porosity of the canvas



BEFORE



AFTER



BEFORE AND AFTER



BILT HAMBER - CAR CARE

**BILT HAMBER PRODUCTS ARE SOLVENT FREE HEAVY DUTY CLEANERS - BETTER FOR YOUR SKIN
BETTER FOR YOUR PAINTWORK - BETTER FOR THE ENVIRONMENT**



Surfex HD Multi-purpose

cleaner and degreaser

Use: On paint, alloy wheels, tyres, fabric, carpets and most surfaces.

Biodegradable. It attacks all oil and grease based soiling and will clean organic, or water deposited grime

1 part to 200ml in water for light work.

or 1:1 for Heavy Duty

Apply by spray, brush or pressure washer

***RECOMMENDED**

1 litre



Auto Wheel Cleaner

Is a non-acid, non-alkaline alloy wheel cleaner and in over 90% of cases no rubbing is required. This method is harmless to the wheels finish.

The reaction is a rapid colour change from clear to deep red. After simply use a hose, rinse down or jet wash. It leaves the wheel spotless

1 part to 200ml in water for light work.

*** RECOMMENDED**

1 litre



Korrosol Fallout Remover

After washing your car, rub your fingers over the paintwork you will feel grittiness. Korrosol is a simple spray on superb product to remove metallic fallout from road travel etc. Wash off and it will remove the metallic embedment

Follow up with Bilt Hamber Soft Clay Bar and Bilt Hamber Finis Wax

You will have an excellent protected finish.

Recommended

1 litre



Auto Foam

Use with a pressure washer.

Designed to soak and saturate soiled vehicle paintwork prior to the application of vehicle shampoo.

Auto form is gentle and will panel dwell for 5 - 8 mins.

Road grime is neutralised and the lifted from painted surfaces and removed

5 litre



Auto Wash - Highly concentrated vehicle shampoo (60 washes)

Autowash is highly concentrated - just a 5ml (1 teaspoon) to a 9 litre bucket is sufficient.

High concentrated Will chamois off with effortless ease Gently lifts dirt away from paintwork 60 washes from one bottle Supplied in a durable container

300ml



Auto-Clay - The new flexible bar that deep cleans paint, regular or soft

Rub Auto-Clay over car paint to effortlessly deep-clean and remove all embedded matter, insect deposits, overspray and tree sap. Leaves the paint glass-smooth and ready for waxing to the highest shine possible.

Use before polishing and your car will look stunning

200g

No need for special lubricants.

Spray on water and rub



Auto Balm

Superior gloss protection system

If you live on the coast or need a very good finish polish, this is it.

It is not a cutting polish, it is a very long lasting high gloss finish providing excellent protection

It will also protect and shine chrome, aluminium and alloys.

If the paint is scratched and faded use a cutting compound first.

300ml



Finis Wax

A wax for last stage treatment of highly finished Automobile paint systems. Finis-wax is free from abrasives and should be applied to good condition paint. A high grade T1 carnauba wax is used to provide a deep rich gloss, ease of application and buff ability. Easy to use and produces a wet-look shine.

300ml



Double Speed Wax

Wash with hot soapy water.

Dry using a chamois leather cloth.

Dampen a sponge wring out and apply

sparingly in light circular motors.

Allow to dull for 5 - 10 minutes.

Buff well.

UK-Auto Express Award Winner - 2018



WURTH - CAR CARE PRODUCTS

Wurth Wheel Silver and Clear Varnish High Gloss

Get those wheels or hubcaps looking good again. Wurth Silver is used to refinish dull or scuffed wheels and hubcaps.

This durable silver paint will work for any wheels. Remove wheel and clean with PPC Marine Clean before spraying it.

This works on both **plastic hubcaps and painted wheels**.

Wurth Clear will work very well as a topcoat over or over any existing painted surface.



This Silver matches German Car Wheels

Wurth Multi-Purpose Nano Impregnation Spray

Suitable for: Convertible hoods made of fabric, awnings, sunshades, tents, leather (except patent leather and types of painted smooth leather), rucksacks and sports clothing.

Outstanding water repellence. Protects from staining, soiling as well as oils and grease, keeping the fabric supple and air-permeable.

400ml Aerosol



Wurth Rubber Care Stick

Packaged in a convenient sponge tipped bottle.

No applicator, no mess. It hydrates rubber components to keep them soft and supple. Healthy rubber keeps the noise, heat and cold out.

Silicone-free, bio-degradable and water repellent.

Resists diluted acids and alkalines.

It will resist salt water.

Use on all door seals, gaskets and weather-stripping around doors and windows in your home.

75ml



Wurth Rost Off Plus

Rust Loosener

Suitable for: Passenger Cars, commercial vehicles, agricultural and construction industry machinery generators, equipment etc.

Excellent creep properties and quick rust penetration.

Aerosol



Wurth PTFE Dry Lube

Transparent, non-soiling anti-friction coating for metals, plastics, rubber etc., subjected to low to medium loads

Especially where oils, greases and similar materials, would cause soiling.

Film thickness of 10 µm allows use even with the very small tolerances in precision engineering.

Drying time 5 - 10 minutes at 20°C

Withstands temps from 180°C to 240°C

Resistant to water, petrol, oils, alkalis and acids

Excellent for sliding doors, furniture hinges, drawers, runners, ball bearings, electrical switches.

300ml Aerosol



Wurth Screen Wash Additive -

Makes 6 - 8 mixes

Very concentrated, cleaner additive for your windshield washer or separate cleaner bottle.

Calcium inhibitors in the washer prevent deposits that your visibility. Works as a great anti freeze

Just add with water according to the directions, a little at a time. Economical. Overspray will not affect your paint, lens covers, or rubber gaskets.

Fill your car windscreen washer bottle from this 32ml - 8 times



Wurth Active Glass Cleaner

Active foaming glass cleaner.

Will not run on vertical surfaces or smear.

Removes encrusted insects, bird dirt, nicotine deposits, silicone and rubber dust.

Can be used on glass, mirrors, painted surfaces and porcelain.

500ml aerosol



Wurth Rubber Care

For Cleaning and preserving all rubber components on cars, trucks, buses etc., such as door, boot and bonnet seals, rubber trims etc.,

Prevents rubber granulating, sticking and icing up, and freshens up the colour.

Not aggressive to paint or chrome parts.

Free of Silicone 300ml Aerosol



Wurth Rost Off Ice

Cracking effect - by cooling material down to -40°C. Micro-fine cracks appear in rust, ensuring excellent penetration of Rost Off Ice.

Quickly penetrates rust and loosens seized screws.

Heavily rusted screw connections are loosened without damage 400ml



Wurth Urethane based Seam Sealer - Light Ivory and Black

Restore the original structure and texture when undertaking an accident or restoration.

Seal joints or replace components in the engine compartment, boot, floor pan, suspension etc.

Paint over within 1 hour.

After 1 hour put on a linking coat.

Quick drying. Wet on wet paint ability once product has skinned over.



310ml Aerosol



WURTH - CAR CARE PRODUCTS

Wurth Carburettor Cleaner

For cleaning metal surfaces from grease, dirt and oil e.g. carburettor housings etc.

Reduces residue in the cylinder and valve area.

A specially added rust protector provides a fine protective film which prevents metal surfaces from corroding.

Fuel saving due to better flow.

400gram



AUTOSOL (made in Germany)

Will polish all hard metal surfaces such as stainless steel, chrome, brass, copper, aluminium, nickel etc.

Cleans, polishes and removes tarnish such as rust.

Provides a brilliant shine and protection from weather and other corrosive elements.

Polishes fibreglass (boat hulls) and plastic surfaces to original gloss.

Polishes and protects metal on trucks, mag wheels, motorbikes musical instruments, watches jewellery.

Sizes 75ml , 750ml



U-POL PRODUCTS

U POL Raptor Ute Liners and Kit -

Available in Black, White and Tint-able

Great for Utes, Trucks, Trailers, Boats

This is a 2-pack heavy duty urethane tint-able coating. It's supplied in different sizes. Can be sprayed with a Schutz gun, (Inc. in 4 litre Kit) brushed or rolled. It will adhere to almost any substrate. It protects against abrasion, salt air, rust and helps deaden sound. Remains flexible. Touch dry in an hour.

(Tint-able liner can be tinted with base coat tinters).

1 litre,

2 litre

4 litre

Colours - Black, White and Tint-able

NB - Use U-POL Acid-8 in corners and difficult to sand areas.



U-POL BLACK RAPTOR AEROSOL

Coverage - 1.34 square metres



ACCESSORIES

Wet and Dry Paper Sand Paper

We stock a range of good quality wet and dry paper in the following grits.

Sizes:

360, 600, 800, 1200,
1500, 600, 2000.



Paint Filters

There is nothing worse than doing an excellent paint job only to find there is un-milled bits or dust in the paint.

Filtering through a paint filter ensure a perfect job.

Sold in packs of 10



Preval Sprayers

Spray anything, anywhere.

Sprays two packs, single packs, colour coats, primers, topcoats. Just mix paint, pour into the glass jar and spray away. Spray up to 500ml of paint or for small jobs, clean with solvent and use again another day.

Refill Power units available



Paint Brushes

Genuine bristle brushes at throw-away prices.

Sizes: 13mm, 25mm,
38mm & 50mm
75mm



ACCESSORIES - continued

Tenacious Masking Tape K750

Japanese made and quality. It will 'clean release' i.e. leave no residue behind for over 60 days outdoors and over 120 days indoors.

It has a higher tensile strength, whilst being thinner and therefore has a lower profile of paint built-up on the edge line.

It is translucent and on most surfaces it is quite clear.

Useful when masking for stencil and air brush work.

You can touch adhesive to adhesive and pull it apart with no damage to the tape.

Will not show evidence of edge bleed or bleed through even with highest solvent content paint inclusive of enamels, two pack varieties and Gel coats

Sizes:

18mm, 24mm, 30mm, 36mm, 48mm

50 metres

***RECOMMENDED PRODUCT - TRY IT.**



Fine Line Tapes - Masking Tapes

This is a fine line masking tape for automotive market. Used where precise masking and higher temperatures are involved.

-30 to 130°C.. Adheres well to a variety of surfaces and does compound curves and detail work.

Sizes: 1.5mm, 3mm, 6mm, 9mm, 12mm, 18mm



BACKING PAD

EW-31073

The Backing Pad accepts both the Cleaning Disc (31094) and the Stripping Discs (31086)

The Cleaning Disc produces an 80 Grit finish and the Stripping Disc provides a 320 finish.

Check your Grinder Data Tag (on tool) to determine spindle diameter. Backing Pad is standard for 5/8" x 11 Grinder Spindles



CLEANING DISC

EW-31094

Works with your 4" and 4 1/2" electric angle grinders to strip large areas quickly .

Maximum speed: 10,000 rpm.

NOTE: Requires (31073) 4-1/2" Backing Pad. Fits grinders with 5/8-11 shaft



ACCESSORIES - continued

BALLISTOL

Ballistol can be used to lubricate, penetrate, clean, protect, and preserve **Firearms**, Ballistol cleans and removes all types of bore fouling .Ballistol can be used in motor compartments, as well as on joints, links, wire pulls and around battery terminals.

Marine equipment, fishing gear, also protects electrical contacts, beautifies faded gel coats and lubricates zippers, push buttons and winches. Ballistol is great for fishing rods, reels and tackle.

In addition, it lubricates autos, motorcycles, bicycles, rollerblades, skateboards, and ski and sports equipment.

Ballistol protects all camping gear. Leather, knives, , tools, locks, wood, metal, rubber, and so much more.

Sizes: 400ml Aero, 500ml Oil



Inox - MX 3

Displaces, penetrates, lubricates & protects

No Silicon, acid, kerosene or dieselene.

Great where a water proofing lubricant is needed.

Outboards, fishing reels etc. It will not harm metal points or surfaces, plastics, paintings, enamels, fibreglass, Formica or neoprene seals.

300ml Aerosol



Inox - MX4

Penetrates, lubricates & leaves a protective coating

Lanolin a natural wax for corrosion and waterproofing for **metals, materials, timbers, to protect sails, leather, outboard motors, fishing equipment**, etc. all areas where a protective residue is required.

No silicone, kerosene, acids or dieselene. No stickiness, gooey or gum up, is harmless to metal points of surfaces, plastics, painted & enamel finishes, fibreglass, formica, rubber or neoprene seals, in non-conductive, non-static



HAMMERITE

HAMMERITE - Why buy 3 cans when one is all you need? Inside, outside, fences, trailers, gates, gutter, pins in the home and out in the garden.

HAMMERED PAINT EFFECT with a metallic sheen.

Apply direct to rust or bare steel
No Primer or undercoat
8 year protection

Colours available: Black, Blue, Copper, Dark Green, Gold, Silver, Charcoal, Red, and White

Sizes: 250ml, 750ml, 2.5 litres, 5 litres and Aerosol

SMOOTH EFFECT Glossy finish

Apply direct to rust or bare steel
No primer or undercoat
8 year protection

Colours Available: Black, Dark Blue, Blue, Copper, Dark Green, Gold, Silver, Charcoal, Red, Yellow, Cream and White

Sizes, 250ml, 750ml, 2.5litres, 5 litres and Aerosol

SATIN FINISH Satin Smooth finish

Apply direct to rust or bare steel
No primer or undercoat
8 year protection

Colours Available: Black and white
Size: 250ml, 750ml, 2.5 litres, 5 litres

Direct to GALVANISED Metal Paint

Glossy smooth finish
Apply direct to non-rusty metal
No primer
One coat application

Colours Available:
White, Silver, Copper, Dark Green, Blue, Black



Kurust - Transform rust to a sound surface in 15 minutes, ready for painting. Ideal for small areas of rust stone chips and scratches.



Brush Cleaner and Thinners For cleaning brushes and spills. Removes dirt, grime, salt and loose rust. The only thinner suitable for Hammerite Metal Paint.




Special Metal Primer - Use as a base coat under Hammerite Direct to Rust paint to improve adhesion to shiny non-ferrous metal surfaces such as Galvanised Steel, Stainless steel, aluminium, chrome, brass and copper



HAMMERED FINISH



SMOOTH FINISH



SATIN FINISH



Trunk Paint
EW10093Z Black Aqua
EW10099Z Gray Black
EW10097Z Gray White

EW10020Z Exhaust Paint
Aluminum Colour

EW13795Z Internal Exhaust Coating

EW10393Z High Temp Coating
Satin Black

EW16230Z High Temp Coating
White

EW10003Z Charcoal Gray Wheel

EW10001Z Argent Silver

EW16089Z Plastic Resurfacer
Matte Black

EW16160Z Golden CAD Complete Kit

EW12032Z UNDERHOOD BLACK® Matte

EW10041Z PRE Painting Prep

EW10280Z Clear Zinc

EW25392Z Almost Chrome

EW16105Z Diam and Clear Gloss for OTM & Painted Surfaces

EW16105Z Diam and Clear Satin for OTM & Painted Surfaces

EW16014Z Self-Etch Primer Gray

EW14148Z 2K AeroSpray Primer Gray

EW14148Z 2K AeroSpray Black Gloss

EW14148Z 2K AeroSpray Semi-Gloss

EW14148Z 2K AeroSpray Rat Rod Satin Black

EW14292Z 2K AeroSpray High Temp Ceramic Engine Paint Ford Blue

EW14292Z 2K AeroSpray High Temp Ceramic Engine Paint Gloss Black

EW14292Z 2K AeroSpray High Temp Ceramic Engine Paint Chevy Orange

EW14292Z 2K AeroSpray High Temp Ceramic Engine Paint

EW14932Z 2K AeroSpray High Temp Ceramic Engine Primer Gray

EW14932Z 2K AeroSpray High Temp Ceramic Engine Primer Gray

EW10022Z Silver Cad

EW10032Z Spray Gray Cast Steel Replication

Extreme Chassis Black
EW1195Z Primer
EW1172Z High Gloss
EW1176Z Black Satin

EW12516Z Green w/Spray Nozzle
EW15276Z Black w/Spray Nozzle

Rust Encapsulator
EW16060Z Flat Black
EW14825Z White
EW16040Z Red
EW16080Z Silver
EW14741Z Textured Black

EW10030Z Tank Tone Metallic Coating

EW11756Z Brake Gray

EW13612 Rubberized Rust Encapsulator Undercoating Black

This is a fine line masking tape for automotive market. Used where precise masking and higher temperatures are involved.

K760 Masking Tape when applied will not show evidence of edge bleed, or bleed through even on the highest solvent content paint inclusive of enamels, two pack varieties and Gel Coats.



DO THE JOB RIGHT.



Importer & Distributor

PPC Co Pty Ltd.

Retail Shop and Warehouse - Unit 1 / 4 Prosperity Parade
Warriewood, Sydney, NSW 2102

Ph.: 02 9999 0122 Email: sales@ppcco.com.au

*Contact us for your closest Distributor
Phone 1800 643 229 or visit our website for more information.
and a full range of products.*

www.ppcco.com.au

Your nearest distributor

Product sizes and specifications may change without notice.